2

Aging in Place













Vanities.... Floating Countertop..... Grab Bars... Plumbing Accessories ... Toilets ... Washlets... Shower Base... Walk in Tub ... Rapid Recess ...



www.mosaictileco.com

Contents

				 				 							 				• •					-	7
																								9	Q
				 				 							 • •				• •				-	1 :	2
	• •		• •	 		•		 							 								-	1;	3
			• •	 		•		 							 								-	14	4
				 		•		 							 • •				• •				-	(6
			• •	 	•	•		 		•	•	•			 • •		•		• •				-	18	8
			• •	 				 							 								-	1 9	9
			• •	 				 							 • •				• •				2	2(С
•		 			 	 	 	 	 	 	 		 	 	 	 									

LOOK FOR THIS LOGO!

Products noted with this logo are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.

VANITY OPTIONS





Woodpro ADA compliant vanities and mirrors are designed with accessibility in mind without sacrificing elegance and style.



Offered in a range of styles, finishes, and configurations to blend functionality with aesthetic appeal, ensuring they fit seamlessly into any bathroom design.




Constructed from high quality Maple or Oak, our vanities are both durable and long-lasting, making them suitable for any commercial project.



Vanities come standard full-extension with drawers, soft close hinges, and dovetailed joinery and can be customized to almost any specification.









Single Door Base

Drawer/Vanity Base

ADA Compatible

To comply with the Americans with Disability Act (ADA) guidelines, our ADA cabinets are specifically engineered with a height of 32.5".


Our ADA cabinets make it easy to design a beautiful space to support everyone who lives in your home.

Features:


- Wheelchair accessible sinks
- Reduced height (32.5") base cabinets
- Many colors and additional styles available
- Meets ADA requirements reducing risk of injury
- Comes standard with soft close doors and drawers
- Designed for wheelchair users with knee clearance in mind
- Encourages universal design, making spaces functional for all



VANITY OPTIONS



Sink Base



VANITIES

Vanity Drawer Base





ZACA WALL MOUNT VANITY





Zaca 36" Vanity 36" W x 19" D x 4.33" H Vanity Base: NTVNS36S Pearl Top: NTNSL3619-P

Zaca 48" Vanity 48" W x 19" D x 4.33 H" Vanity Base: NTVNS48S

Slate Top: NTNSL4819-S

A sleek stainless steel base pairs with a concrete top to elevate the bath as never before. This ADA compliant wall mounted vanity is suited well for a luxury home design with functionality in mind.


Choose from either 36" or 48" sizes and complete the look with a coordinating single hole drilled trough sink.



STAK L	JNO Floating Countertop	
Sizes	Round Sink (no drain)	Square Sink (no drain)
23-5/8" W x 18-7/8" D x 6" H	FLLVSTB24-AP-RD-18	FLLVSTB24-AP-SQ-18
31-1/2" W x 18-7/8" D x 6" H	FLLVSTB32-AP-RD-18	FLLVSTB32-AP-SQ-18
39-3/8" W x 18-7/8" D x 6" H	FLLVSTB39-AP-RD-18	FLLVSTB39-AP-SQ-18



Lavatory Drain with Drain Plug (sold separately) Available in Chrome, Brushed Nickel, and Matte Black







Optional decorative pipes sold separately Available in Chrome, Brushed Nickel, and Matte Black

Lavatory 1-1/4" Ground Joint P-Trap (left) Lavatory Bottle Trap 1-1/4" (right)

"Bridging the gap between function and fashion."

Experience a refreshing alternative to the institutional-looking models on the market with the JACLO Grab Bar collection. Combining safety and sophisticated design, JACLO's stylized Grab Bars are not only ADA compliant, they are also versatile and practical for many applications. With 17 Styles in over 26 finishes plus JACLO's capability to produce custom sizes and finishes, these Grab Bars can match seamlessly with existing hardware and décor.


Α


Е

Features:

- Quality brass construction
- 17 styles from traditional to contemporary
- 26+ standard finishes
- Numerous configurations and sizes
- Available sizes: 12", 16", 18", 24", 32", 36", 42" and 48" (NOTE: Grab Bars over 32" require a middle post)
- Custom sizes and finishes available
- The Luxury Collection can be fitted with an adjustable handshower holder for several of JACLO's handshowers

















27 Diamond / Square Flange





C16 Contemporary Round Flange





Configuration Examples:

A. Straight (post to post)

Luxury Grab Bars can be mounted vertically, horizontally, or at any angle.

B. Inverted "T"

Provides horizontal grip coverage and vertical height protection when standing. Ideal for adjustable height handshower systems.

C. Straight (center post)

When installing grab bars longer than 32", a center post is required

D. Horizontal with Handshower Holder Ideal for installation next to a bench/seat or

when assisted living needs are essential


E. 90° Right-Hand

Safety and luxury with practical functionality anywhere in the bathroom. Also available for inside corners

F. 90° Left-Hand

Safety and luxury with practical functionality anywhere in the bathroom. Also available for inside corners.





G20 / G21












29 Contemporary Hex Flange



C17 Diamond / Square Flange















Europa Bronze
















Not all styles available in all sizes or finishes





 $) \vdash |A|$

Not all styles available in all sizes or finishes. * Only Universal is available in Polished Brass finish.





Stainless

DE41624-SS

Venetian Bronze

DE41624-RB

Stainless

DE41724-SS



DE41724-CZ



Matte Black DE41724-BL



PLUMBING FIXTURES TO CONSIDER

ADA Compliant plumbing fixtures are designed to provide accessibility and ease of use for individuals with disabilities while blending seamlessly into a variety of bathroom styles, from traditional to contemporary. These fixtures include sinks, faucets, toilets, and showers, all engineered to meet ADA standards for height, clearance, and functionality. Traditional options often feature classic finishes and timeless designs, while contemporary fixtures offer sleek minimalist aesthetics and innovative features like touchless operation. The benefits include improved safety, enhanced comfort and the ability to create inclusive spaces without compromising style.



Today's market offers a wide range of ADA compliant bathroom accessories that balance functionality with style, catering to both traditional and contemporary tastes. From grab bars and shower seats, towel bars and robe hooks. Options include classic designs with ornate details or sleek, modern styles with minimalist finishes. These accessories not only meet ADA standards but also enhance bathroom aesthetics, ensuring safety and inclusivity without sacrificing design.



Cassidy Pull-Down Lavatory Faucet DE597-PD-DST



Cassidy Monitor 17 Shower Set DET17297



Toto Entrada White Vitreous Toilet (refer to page 14)



Essentials Shower Seat RU9HSS1CH



Contemporary Corner Shelf with Assist Bar DE41516



Traditional Toilet Tissue Holder with Assist Bar DE41350-BL



Wall Mount Bidet and Foot Rinse with Dual Function Spray RU9HBD5SNSN



Trinsic High Arch Lavatory Faucet DF559HA-DST



Trinsic Monitor 17 Shower Set DFT17259



Toto Drake White Vitreous Toilet (refer to page 14)



Ara Lavatory Faucet DE567LF-MPU





Ara Monitor 17 Shower Set DET17267



Kohler Cimarron White Vitreous Toilet (refer to page 14)

ACCESSORIES TO CONSIDER



ACCESSORIES

ADA COMPLIANT TOILETS



Kohler Cimarron ADA White Vitreous Toilet

- 1.28 GPF Tank
- 2-1/8" Trapway
- Rough in 12"
- AquaPiston flushing system
- Meets and exceeds ASME A112.19.2/CSA B45.1
- 1 Year Limited Warranty
- Chrome handle comes standard
- Optional Brushed Nickel handle also available (TS024445)
- Soft Close Seat
- Elongated Bowl
- 17" Height, ADA Compliant

17" Height ADA Elongated Toilet

15-7/16" W x 28-11/16" D x 30-5/8" H White

Part Numbers: Bowl. ADA TSK-31588-0 Tank TSK-31615-0 Soft Close Seat TSK-27331-0



Toto Drake White Vitreous Toilet

- 1.6 GPF Tank
- 2-1/8" Trap diameter
- 12" Rough-in
- Tornado Flush[®] ultra high efficiency siphon jet flushing system
- Meets and exceeds ASME A112.19.2/ CSA B45.1
- IAPMO(cUPC)® and EPA WaterSense Certified
- 1 Year Limited Warranty
- Washlet+ and auto flush upgrade compatibility
- Rimless with Elongated Bowl
- Universal Height is ADA Compliant



Universal Height ADA Elongated Toilet 17-3/16" W x 28-3/8" D x 30-1/8" H Cotton White

Part Numbers: Bowl, ADA VAC776CEFG-01 Tank VAST776SA-01 Soft Close Seat VASS114-01



Toto Entrada White Vitreous Toilet

- 1.28 GPF Tank
- 2-1/8" Trapway
- Rough in 12"
- E-Max high efficiency flushing system

 - 1 Year Limited Warranty
 - Close Coupled Toilet
 - Soft Close Seat
 - Elongated Bowl
 - 17" Height, ADA Compliant

17" Height ADA Elongated Toilet 14-3/8" W x 28-5/8" D x 30" H Cotton White

Part Numbers: Bowl, ADA VAC244EF-01 Tank VAST243-01 Soft Close Seat VASS114-01

Toto Promenade II White Vitreous Toilet

- 1.28 GPF Tank
- 12" Rough-in

- 1 Year Limited Warranty
- **Close Coupled Toilet** _
- -Elongated Bowl

Universal Height ADA Elongated Toilet 16-3/4" W x 28-1/2" D x 31-1/4" H Cotton White

Part Numbers: Bowl, ADA VAC404CUFG-01 Tank VAST403E-01 Soft Close Seat VASS114-01

- Meets and exceeds ASME A112.19.2/CSA B45.1



- 2-1/8" Trap diameter with clear glaze coating

- DynaMax[™] Tornado Flush[®] ultra high efficiency flushing system - Meets and exceeds ASME A112.19.2/ CSA B45.1 IAPMO(cUPC)[®] and EPA WaterSense Certified

- Universal Height, ADA Compliant



Due to the design of the Promenade toilet tank, Delta Universal toilet levers will not function properly. Ask a sales rep for additional information if you are interested in special order finish options.

LUXURIOUS WASHLETS

Cotton White. 18-9/16" L x 20-7/8" W VASW3074-01

Toto C2 Contemporary Washlet

- Gentle aerated, warm water
- Dual action spray with oscillating feature
- Adjustable water temperature and volume
- Warm air drying with five variable temperature settings
- Automatic air deodorizer
- Convenient arm control panel
- Docking station for easy cleaning and installation
- Heated seat with temperature control
- EWATER+[®] auto-cleans wand
- PREMIST® automatically mists the bowl before each use





Cotton White, 15-1/16" L x 20-7/8" W VASW3084-01

Toto C5 Contemporary Washlet

- High-tech electronic Bidet Seat
- Gentle aerated, warm water
- Dual action spray with oscillating and pulsating feature
- Adjustable water temperature and volume
- Warm air drying with three variable temperature settings
- Automatic air deodorizer
- Convenient slim wireless remote with illuminated touchpad
- Docking station for easy cleaning and installation
- Elongated heated seat with temperature control
- EWATER+[®] auto-cleans wand
- PREMIST® automatically mists the bowl before each use



VASW4734AT40-01



Cotton White, 15-1/16" L x 20-7/8" W

- Warm air drying with five variable temperature settings
- Personalized memory settings for up to 4 users
- Docking station for easy cleaning and installation - Auto open/close lid

- Night light
- EWATER+® auto-cleans wand and bowl after every use - PREMIST[®] automatically mists the bowl before each use
- Seamless seat design eliminates gap where dirt collects



Toto S7A Contemporary Washlet

- High-tech electronic Bidet Seat

- Gentle aerated, warm water
- Dual action spray with oscillating and pulsating feature
- Adjustable spray position, water temperature, and water pressure
- Instantaneous water heater for continuous warm water
- Warm air drying with five variable temperature settings
- Automatic air deodorizer
- Personalized memory settings for up to 4 users
- Docking station for easy cleaning and installation - Auto open/close lid
- Heated seat with temperature control
- Multi-function pearl white block style remote control
- EWATER+® auto-cleans wand and bowl after every use
- PREMIST[®] automatically mists the bowl before each use
- Seamless seat design eliminates gap where dirt collects

Toto S7A Classic Washlet

- High-tech electronic Bidet Seat
- Gentle aerated, warm water
- Dual action spray with oscillating and pulsating feature
- Adjustable spray position, water temperature, and water pressure - Instantaneous water heater for continuous warm water
- Automatic air deodorizer
- Heated seat with temperature control
- Multi-function pearl white block style remote control
- Auto Flush capable with optional auto flush kit when installed on
 - select Toto toilets only

SHOWER BASE FOR SEAMLESS ENTRY



LVL Zero Threshold Base

Sizes	Base only (no drain)
32" D x 60" Front x 1.5" H	FLAULV3260-18
36" D x 48" Front x 1.5" H	FLAULV3648-18
36" D x 60" Front x 1.5" H	FLAULV3660-18



Optional drain sold separately Available in Chrome, Brushed Nickel, Brushed Gold, and Matte Black

> ABS No-Calk 2" Drain (left) PVC No-Calk 2" Drain (right)

Features:

- Very low profile (1-1/2")
- Durable white solid surface base
- Concealed side drain
- Contemporary European inspired design
- Allows for a fully recessed installation
- Easy to install requires minimal subfloor modification





Features:

- Low step-in height
- Built-in grab bars
- Adjustable jets known for improving circulation, reduced swelling, and enhanced mobility
- Self-draining pump and system
- HydrOzone ozone sanitation system eliminated unwanted chemicals and toxins
- Soft Touch electronic on/off control with 30-min. integral timer
- 8 full adjustable PVC jets for aiding in pain relief





THE LIFESTYLE TUB



Walk-In White Tub, 52" W x 30" D x 40" H Left Hand – HYWAL5230GCO-WHI-LH Right Hand – HYWAL5230GCO-WHI-RH

PLYWOOD SUBFLOOR RECESS SYSTEM

A bracket system designed to provide the necessary depth to install a true, zero-entry curbless shower on a wood subfloor.

Features:

- Installed from above the joists without the use of a 2x4 frame or compromising the structural integrity of the joists (Rapid Recess doesn't interfere with plumbing or other obstacles between the joists)
- Floor height within the shower area is recessed 11/16"
- Suitable for 25 square feet or less recommended sizes are 5' x 5' or 4' x 6'
- No framing ledger boards or cross-bracing needed
- Kits are available for any kind, width, or orientation of floor joists (joists parallel or perpendicular to shower entry)
- Kits are available for point or linear drains and shower pans
- Complies fully with ICC standards and codes
- Rapid Recess brackets are made of sturdy 16 gauge alvanized steel and hve undergone thorough testing and passed the Robinson Test C627 for floor assemblies



1. Expose Expose the joists.



2. Attach Attach the bracket system.



3. Recess Recess the subfloor.





4. Finish Finish with shower pan and tile.







Item Number - RR25SF









Shower Entry



Item # - RR25SF

Kit includes: 30 Z brackets (5" long) 10 M brackets (48 3/8" long) 40 - #10 - 2 3/4" self-drilling reamers with winas 160 - #10 - 1 5/8" self-drilling reamers with winas 60 - #10 - 1 1/4" exterior wood screws



Used with a center point drain. Recommended to recess up to 25 square feet. Floor within the shower area is recessed 11/16". WORKS WITH JOISTS RUNNING PARALLEL OR PERPENDICULAR TO THE SHOWER ENTRY.



Item # - RR25LDK

Kit includes: 8 LZ-brackets (5" long) 2 LM-brackets (48 3/8" long) 22 Z-brackets (5" long) 8 M-brackets (48 3/8" long) 40 - #10 - 2 3/4" self-drilling reamers with wings 160 - #10 - 1 5/8" self-drilling reamers with winas 60 - #10 - 1 1/4" exterior wood screws



11/16". For showers up to 25 square feet.


KIT OPTIONS BY DRAIN TYPE

Shower Entry



Used with a linear drain at the back wall. FLOOR JOISTS MUST BE RUNNING PARALLEL TO THE SHOWER ENTRY. Joist bay for drain is recessed 1" below the top of the joists to accommodate depth of the drain body. Remaining pan area is recessed

Linear Drain Item Number - RR6ELDK



Shower Entry




Item # - RR6ELDK

Kit includes: 26 Z-brackets 8 - #10 - 2 3/4" self-drilling reamers with wings 80 - #10 - 1 5/8" self-drilling reamers with wings



Used with a linear drain at the shower entry. Only the entry cutout in the plywood subfloor is recessed 11/16" to account for the drain depth. WORKS WITH JOISTS RUNNING PARALLEL OR PERPENDICULAR TO THE SHOWER ENTRY.

FILLER AND SHIM KITS



RRLDFS - small drain filler left (x1) RRRDFS - small drain filler right (x1) RRSS - 1/4" small shim (x2) RRW - sloped wedges (x3)


Used with a linear drain from 26" to 43" long. For shower areas up to 25 sq. ft.

RRLDFS - large drain filler left (x1) RRRDFS - large drain filler right (x1) RRSL - 1/4" large shim (x2) RRW - sloped wedges (x4)

Used with a linear drain 40" to 72" long. For showers areas up to 25 sq. ft.

Used in bathrooms where 5/8" thick plywood exists and will be used.

thick with double-sided tape (x60)





Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA North Bethesda, MD* | Owings Mills, MD* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com





